

Supporting Information for ”Climate model code genealogy and its relation to climate feedbacks and sensitivity”

Peter Kuma¹, Frida A.-M. Bender¹, and Aiden R Jönsson¹

¹Department of Meteorology (MISU), Stockholm University, Stockholm, SE-106 91, Sweden

Contents of this file

1. Table S1
2. Table S2

Corresponding author: P. Kuma, Department of Meteorology (MISU), Stockholm University, Stockholm, SE-106 91, Sweden (peter.kuma@misu.su.se)

Table S1. [Table located in the file `models.csv` included in the supporting information.]

Table listing all models in the model code genealogy including their model family, institute, country (or region), type (atmosphere general circulation model [AGCM], atmosphere–ocean general circulation model [AOGCM] or Earth System Model [ESM]), their parent and predecessor models, names of their model runs in the Coupled Model Intercomparison Project (CMIP) phase 3, 5 and 6, and citations supporting their relation to other models. The data in this table have one-to-one correspondence to models in Fig. 2, and therefore can be used for analysing the graph in Fig. 2 analytically.

Table S2. Table of counts of model runs (configurations or resolutions) per model family, country (or region) and institute present in CMIP3 (C3), CMIP5 (C5) and CMIP6 (C6).

Family				Country				Institute			
Name	C3	C5	C6	Name	C3	C5	C6	Name	C3	C5	C6
CCM	3	17	32	Australia	2	4	2	AS RCEC	0	0	3
CSIRO	2	2	0	Canada	2	3	2	AWI	0	0	4
CanAM	2	3	2	China	1	7	11	BCC	0	2	3
ECMWF	5	9	27	Europe	0	2	12	BCCR	1	0	0
GEOS	0	2	0	France	2	5	7	BNU	0	1	0
GFDL	2	7	6	Germany	3	3	10	CAMS	0	0	1
GFS	0	1	1	India	0	0	1	CCCma	2	3	2
HadAM	2	7	12	Italy	0	4	4	CCSR/NIES/FRCGC/ MIROC	2	5	6
INM	1	1	3	Japan	3	9	9	CMCC	0	4	4
IPSL	1	3	4	Norway	1	2	4	CNRM/CERFACS	1	2	3
MIROC	2	4	3	Russia	1	1	3	CSIRO/QCCCE/UNSW/ BOM/ARCCSS	2	4	2
NICAM	0	1	3	South Korea	0	0	3	DOE	0	0	3
UA MCM	0	0	1	Taiwan	0	0	3	EC-Earth Consortium/ ICHEC	0	2	9
UCLA GCM	4	8	9	UK	2	5	9	ECMWF	0	0	3
				USA	7	20	23	ECMWF/CNRM	0	0	0
								FIO/QLNM	0	1	1
								IITM CCCR	0	0	1
								INM	1	1	3
								IPSL	1	3	4
								KIOST	0	0	1
								LASG/IAP/CESS	1	3	4
								MIUB	1	0	0
								MPI-M/HAMMOZ	2	3	6
								MRI	1	4	3
								NASA GFDL	2	7	5
								NASA GISS	3	4	6
								NASA GMAO	0	1	0
								NASA GSFC	0	1	0
								NCAR/NSF/DOE	2	6	8
								NCC	0	2	4
								NCEP	0	1	0
								NIMS/KMA	0	0	1
								NUIST	0	0	1
								SNU	0	0	1
								THU	0	0	1
								UA	0	0	1
								UCLA	0	0	0
								UKMO/MOHC/ KMA NIMR	2	5	9

References

- Adachi, Y., Yukimoto, S., Deushi, M., Obata, A., Nakano, H., Tanaka, T. Y., ... Kitoh, A. (2013). Basic performance of a new earth system model of the Meteorological Research Institute (MRI-ESM1). *Papers in Meteorology and Geophysics*, 64, 1-19. doi: 10.2467/mripapers.64.1
- BCC. (2022). *BCC-CSM 1.1*. Retrieved from <http://forecast.bccsm.ncc-cma.net/web/channel-43.htm> (last access: 17 August 2022)
- Bentsen, M., Bethke, I., Debernard, J. B., Iversen, T., Kirkevåg, A., Seland, Ø., ... Kristjánsson, J. E. (2013). The Norwegian Earth System Model, NorESM1-M – Part 1: Description and basic evaluation of the physical climate. *Geoscientific Model Development*, 6(3), 687–720. doi: 10.5194/gmd-6-687-2013
- Bethke, I., Wang, Y., Counillon, F., Keenlyside, N., Kimmritz, M., Fransner, F., ... Eldevik, T. (2021). NorCPM1 and its contribution to CMIP6 DCP. *Geoscientific Model Development*, 14(11), 7073–7116. doi: 10.5194/gmd-14-7073-2021
- Bi, D., Dix, M., Marsland, S., O’Farrell, S., Sullivan, A., Bodman, R., ... Heerdegen, A. (2020). Configuration and spin-up of ACCESS-CM2, the new generation Australian Community Climate and Earth System Simulator Coupled Model. *Journal of Southern Hemisphere Earth Systems Science*, 70(1), 225-251. doi: 10.1071/ES19040
- Cao, J., Ma, L., Liu, F., Chai, J., Zhao, H., He, Q., ... Wang, B. (2021, Feb 01). NUIST ESM v3 data submission to CMIP6. *Advances in Atmospheric Sciences*, 38(2), 268-284. doi: 10.1007/s00376-020-0173-9
- CCCma. (2018). *Climate model: second generation Canadian earth system model*. Retrieved from <https://www.canada.ca/en/environment-climate-change/services/>

climate-change/science-research-data/modeling-projections-analysis/centre-modelling-analysis/models/second-generation-earth-system-model.html

(last access: 17 August 2022)

Chen, X., Guo, Z., Zhou, T., Li, J., Rong, X., Xin, Y., ... Su, J. (2019, Feb 01). Climate sensitivity and feedbacks of a new coupled model CAMS-CSM to idealized CO₂ forcing: A comparison with CMIP5 models. *Journal of Meteorological Research*, 33(1), 31-45. doi: 10.1007/s13351-019-8074-5

Cherchi, A., Fogli, P. G., Lovato, T., Peano, D., Iovino, D., Gualdi, S., ... Navarra, A. (2019). Global mean climate and main patterns of variability in the CMCC-CM2 coupled model. *Journal of Advances in Modeling Earth Systems*, 11(1), 185-209. doi: 10.1029/2018MS001369

CMCC. (2022). *CMCC-CESM-NEMO – climate coupled model*. Retrieved from <https://www.cmcc.it/models/cmcc-cesm-nemo-climate-coupled-model> (last access: 17 August 2022)

CMCC. (2022). *CMCC-CM*. Retrieved from <https://www.cmcc.it/models/cmcc-cm> (last access: 17 August 2022)

CMCC. (2022). *CMCC-ESM – Earth system model*. Retrieved from <https://www.cmcc.it/models/cmcc-esm-earth-system-model> (last access: 17 August 2022)

CNRM. (2008). ARPEGE-Climate version 5.1: Algorithmic documentation [Computer software manual]. Retrieved from https://www.umr-cnrm.fr/gmapdoc/IMG/pdf_arp51ca.pdf (last access: 17 August 2022)

CNRM. (2022a). *ARPEGE-Climate*. Retrieved from <https://www.umr-cnrm.fr/spip.php?article124&lang=en> (last access: 17 August 2022)

- CNRM. (2022b). *CNRM-ESM2-1 model*. Retrieved from <https://www.umr-cnrm.fr/cmip6/spip.php?article10> (last access: 17 August 2022)
- Collins, W. D., Rasch, P. J., Boville, B. A., Hack, J. J., McCaa, J. R., Williamson, D. L., ... Zhang, M. (2006). The formulation and atmospheric simulation of the Community Atmosphere Model version 3 (CAM3). *Journal of Climate*, 19(11), 2144-2161. doi: 10.1175/JCLI3760.1
- Delworth, T. L., Broccoli, A. J., Rosati, A., Stouffer, R. J., Balaji, V., Beesley, J. A., ... Zhang, R. (2006). GFDL's CM2 global coupled climate models. Part I: Formulation and simulation characteristics. *Journal of Climate*, 19(5), 643-674. doi: 10.1175/JCLI3629.1
- Dunne, J. P., Horowitz, L. W., Adcroft, A. J., Ginoux, P., Held, I. M., John, J. G., ... Zhao, M. (2020). The GFDL Earth System Model version 4.1 (GFDL-ESM 4.1): Overall coupled model description and simulation characteristics. *Journal of Advances in Modeling Earth Systems*, 12(11), e2019MS002015. (e2019MS002015 2019MS002015) doi: 10.1029/2019MS002015
- Dunne, J. P., John, J. G., Adcroft, A. J., Griffies, S. M., Hallberg, R. W., Shevliakova, E., ... Zadeh, N. (2012). GFDL's ESM2 global coupled climate-carbon Earth System Models. Part I: Physical formulation and baseline simulation characteristics. *Journal of Climate*, 25(19), 6646-6665. doi: 10.1175/JCLI-D-11-00560.1
- es-doc. (2015). *CMIP5 model: CMCC - CMCC-CMS*. Retrieved from <https://view.es-doc.org/?renderMethod=name&type=cim.1.software.ModelComponent&name=CMCC-CMS&project=CMIP5> (last access: 17 August 2022)
- FESOM. (2022). *The AWI Earth System Model (AWI-ESM)*. Retrieved from <https://fesom.de/models/awi-esm/> (last access: 17 August 2022)

- Giorgetta, M. A., Brokopf, R., Crueger, T., Esch, M., Fiedler, S., Helmert, J., ... Stevens, B. (2018). ICON-A, the atmosphere component of the ICON Earth system model: I. Model description. *Journal of Advances in Modeling Earth Systems*, 10(7), 1613-1637. doi: 10.1029/2017MS001242
- Guo, Y., Yu, Y., Lin, P., Liu, H., He, B., Bao, Q., ... Wang, X. (2020, Oct 01). Overview of the CMIP6 historical experiment datasets with the climate system model CAS FGOALS-f3-L. *Advances in Atmospheric Sciences*, 37(10), 1057-1066. doi: 10.1007/s00376-020-2004-4
- Hai-Yang, Y., Qing, B., Lin-Jiong, Z., Xiao-Cong, W., & Yi-Min, L. (2014). Sensitivity of precipitation in aqua-planet experiments with an AGCM. *Atmospheric and Oceanic Science Letters*, 7(1), 1-6. doi: 10.3878/j.issn.1674-2834.13.0033
- Hajima, T., Watanabe, M., Yamamoto, A., Tatebe, H., Noguchi, M. A., Abe, M., ... Kawamiya, M. (2020). Development of the MIROC-ES2L Earth system model and the evaluation of biogeochemical processes and feedbacks. *Geoscientific Model Development*, 13(5), 2197-2244. doi: 10.5194/gmd-13-2197-2020
- Hazeleger, W., Severijns, C., Semmler, T., Ștefănescu, S., Yang, S., Wang, X., ... Willén, U. (2010). EC-Earth: a seamless Earth-system prediction approach in action. *Bulletin of the American Meteorological Society*, 91(10), 1357-1364. doi: 10.1175/2010BAMS2877.1
- Hazeleger, W., Wang, X., Severijns, C., Ștefănescu, S., Bintanja, R., Sterl, A., ... van der Wiel, K. (2012, Dec 01). EC-Earth V2.2: description and validation of a new seamless earth system prediction model. *Climate Dynamics*, 39(11), 2611-2629. doi: 10.1007/s00382-011-1228-5
- He, B., Bao, Q., Wang, X., Zhou, L., Wu, X., Liu, Y., ... Zhang, X. (2019, Aug 01). CAS FGOALS-f3-L model datasets for CMIP6 historical atmospheric model intercomparison project simulation. *Advances in Atmospheric Sciences*, 36(8), 771-778. doi:

10.1007/s00376-019-9027-8

IPSL CMC. (2022). *IPSL-CM4*. Retrieved from <https://cmc.ipsl.fr/ipsl-climate-models/ipsl-cm4/> (last access: 17 August 2022)

Ji, D., Wang, L., Feng, J., Wu, Q., Cheng, H., Zhang, Q., ... Zhou, M. (2014). Description and basic evaluation of Beijing Normal University Earth System Model (BNU-ESM) version 1. *Geoscientific Model Development*, 7(5), 2039–2064. doi: 10.5194/gmd-7-2039-2014

Johns, T. C., Durman, C. F., Banks, H. T., Roberts, M. J., McLaren, A. J., Ridley, J. K., ... Searl, Y. (2006). The new Hadley Centre Climate Model (HadGEM1): Evaluation of coupled simulations. *Journal of Climate*, 19(7), 1327–1353. doi: 10.1175/JCLI3712.1

Jungclaus, J. H., Lorenz, S. J., Schmidt, H., Brovkin, V., Brüggemann, N., Chegini, F., ... Claussen, M. (2022). The ICON Earth system model version 1.0. *Journal of Advances in Modeling Earth Systems*, 14(4), e2021MS002813. (e2021MS002813 2021MS002813) doi: 10.1029/2021MS002813

Legutke, S., & Voss, R. (1999). *The hamburg atmosphere-ocean coupled circulation model ECHO-G* (Tech. Rep. No. 18). Deutsches Klimarechenzentrum, Bundesstraße 55, D-20146 Hamburg, Germany. Retrieved from <https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.395.605&rep=rep1&type=pdf>

Li, F., Waugh, D. W., Douglass, A. R., Newman, P. A., Pawson, S., Stolarski, R. S., ... Nielsen, J. E. (2012). Seasonal variations of stratospheric age spectra in the Goddard Earth Observing System Chemistry Climate Model (GEOSCCM). *Journal of Geophysical Research: Atmospheres*, 117(D5). doi: 10.1029/2011JD016877

Li, L., Yu, Y., Tang, Y., Lin, P., Xie, J., Song, M., ... Wei, J. (2020). The Flexible Global Ocean-Atmosphere-Land System Model grid-point version 3 (fgoals-g3): Description

- and evaluation. *Journal of Advances in Modeling Earth Systems*, 12(9), e2019MS002012. (e2019MS002012 2019MS002012) doi: 10.1029/2019MS002012
- Lin, Y., Huang, X., Liang, Y., Qin, Y., Xu, S., Huang, W., ... Gong, P. (2020). Community Integrated Earth System Model (CIESM): Description and evaluation. *Journal of Advances in Modeling Earth Systems*, 12(8), e2019MS002036. (e2019MS002036 2019MS002036) doi: 10.1029/2019MS002036
- Martin, G. M., Ringer, M. A., Pope, V. D., Jones, A., Dearden, C., & Hinton, T. J. (2006). The physical properties of the atmosphere in the new Hadley Centre Global Environmental Model (HadGEM1). Part I: Model description and global climatology. *Journal of Climate*, 19(7), 1274-1301. doi: 10.1175/JCLI3636.1
- Mauritsen, T., Bader, J., Becker, T., Behrens, J., Bittner, M., Brokopf, R., ... Roeckner, E. (2019). Developments in the MPI-M Earth System Model version 1.2 (MPI-ESM1.2) and its response to increasing CO₂. *Journal of Advances in Modeling Earth Systems*, 11(4), 998-1038. doi: 10.1029/2018MS001400
- Meehl, G. A., Washington, W. M., Arblaster, J. M., Hu, A., Teng, H., Kay, J. E., ... Strand, W. G. (2013). Climate change projections in CESM1(CAM5) compared to CCSM4. *Journal of Climate*, 26(17), 6287-6308. doi: 10.1175/JCLI-D-12-00572.1
- Merryfield, W. J., Lee, W.-S., Boer, G. J., Kharin, V. V., Scinocca, J. F., Flato, G. M., ... Polavarapu, S. (2013). The Canadian Seasonal to Interannual Prediction System. Part I: Models and initialization. *Monthly Weather Review*, 141(8), 2910-2945. doi: 10.1175/MWR-D-12-00216.1
- MPI. (2022). *MPI-ESM*. Retrieved from <https://mpimet.mpg.de/en/science/models/mipi-esm/> (last access: 17 August 2022)

- NCAR. (2022). *CESM configuration naming conventions*. Retrieved from https://www.cesm.ucar.edu/models/cesm1.0/config_conventions_cesm.html (last access: 17 August 2022)
- Ohgaito, R., Sueyoshi, T., Abe-Ouchi, A., Hajima, T., Watanabe, S., Kim, H.-J., ... Kawamiya, M. (2013). Can an Earth System Model simulate better climate change at mid-Holocene than an AOGCM? A comparison study of MIROC-ESM and MIROC3. *Climate of the Past*, 9(4), 1519–1542. doi: 10.5194/cp-9-1519-2013
- Pak, G., Noh, Y., Lee, M.-I., Yeh, S.-W., Kim, D., Kim, S.-Y., ... Kim, Y. H. (2021, Mar 01). Korea Institute of Ocean Science and Technology Earth System Model and its simulation characteristics. *Ocean Science Journal*, 56(1), 18–45. doi: 10.1007/s12601-021-00001-7
- Park, S., Shin, J., Kim, S., Oh, E., & Kim, Y. (2019). Global climate simulated by the Seoul National University Atmosphere Model version 0 with a Unified Convection Scheme (SAM0-UNICON). *Journal of Climate*, 32(10), 2917–2949. doi: 10.1175/JCLI-D-18-0796.1
- PCMDI. (2005). *BCCR-BCM2.0: Model information of potential use to the IPCC lead authors and the AR4*. Retrieved from https://pcmdi.llnl.gov/ipcc/model_documentation/BCCR.BCM2.0.pdf
- Phipps, S. J., Rotstayn, L. D., Gordon, H. B., Roberts, J. L., Hirst, A. C., & Budd, W. F. (2011). The CSIRO Mk3L climate system model version 1.0 – Part 1: Description and evaluation. *Geoscientific Model Development*, 4(2), 483–509. doi: 10.5194/gmd-4-483-2011
- Roeckner, E., Arpe, K., Bengtsson, L., Brinkop, S., Dümenil, L., Esch, M., ... others (1992). *Simulation of the present-day climate with the ECHAM model: Impact of model physics and resolution* (Tech. Rep. No. 93). Max-Planck-Institut für Meteorologie. Retrieved from <https://pure.mpg.de/pubman/faces/ViewItemOverviewPage.jsp?itemId=>

item_1852612

- Roehrig, R., Beau, I., Saint-Martin, D., Alias, A., Decharme, B., Guérémy, J.-F., ... Sénési, S. (2020). The CNRM global atmosphere model ARPEGE-Climat 6.3: Description and evaluation. *Journal of Advances in Modeling Earth Systems*, 12(7), e2020MS002075. (e2020MS002075) doi: 10.1029/2020MS002075
- Russell, G. L., Miller, J. R., & Rind, D. (1995). A coupled atmosphere-ocean model for transient climate change studies. *Atmosphere-Ocean*, 33(4), 683-730. doi: 10.1080/07055900.1995.9649550
- Saha, S., Nadiga, S., Thiaw, C., Wang, J., Wang, W., Zhang, Q., ... Xie, P. (2006). The NCEP Climate Forecast System. *Journal of Climate*, 19(15), 3483-3517. doi: 10.1175/JCLI3812.1
- Salas-Mélia, D., Chauvin, F., Déqué, M., Douville, H., Gueremy, J., Marquet, P., ... Tyteca, S. (2005). *Description and validation of the CNRM-CM3 global coupled model*. Retrieved from http://www.cnrm.meteo.fr/scenario2004/paper_cm3.pdf
- Salimun, E., Tangang, F., Juneng, L., Zwiers, F. W., & Merryfield, W. J. (2016). Skill evaluation of the CanCM4 and its MOS for seasonal rainfall forecast in Malaysia during the early and late winter monsoon periods. *International Journal of Climatology*, 36(1), 439-454. doi: 10.1002/joc.4361
- Schmidt, G. A., Kelley, M., Nazarenko, L., Ruedy, R., Russell, G. L., Aleinov, I., ... Zhang, J. (2014). Configuration and assessment of the GISS ModelE2 contributions to the CMIP5 archive. *Journal of Advances in Modeling Earth Systems*, 6(1), 141-184. doi: 10.1002/2013MS000265
- Schmidt, G. A., Ruedy, R., Hansen, J. E., Aleinov, I., Bell, N., Bauer, M., ... Yao, M.-S. (2006). Present-day atmospheric simulations using GISS ModelE: Comparison to in situ, satellite,

- and reanalysis data. *Journal of Climate*, 19(2), 153–192. doi: 10.1175/JCLI3612.1
- Seland, Ø., Bentsen, M., Olivié, D., Toniazzo, T., Gjermundsen, A., Graff, L. S., ... Schulz, M. (2020). Overview of the Norwegian Earth System Model (NorESM2) and key climate response of CMIP6 DECK, historical, and scenario simulations. *Geoscientific Model Development*, 13(12), 6165–6200. doi: 10.5194/gmd-13-6165-2020
- Sellar, A. A., Jones, C. G., Mulcahy, J. P., Tang, Y., Yool, A., Wiltshire, A., ... Zerroukat, M. (2019). UKESM1: Description and evaluation of the U.K. Earth System Model. *Journal of Advances in Modeling Earth Systems*, 11(12), 4513–4558. doi: 10.1029/2019MS001739
- Semmler, T., Danilov, S., Gierz, P., Goessling, H. F., Hegewald, J., Hinrichs, C., ... Jung, T. (2020). Simulations for CMIP6 with the AWI climate model AWI-CM-1-1. *Journal of Advances in Modeling Earth Systems*, 12(9), e2019MS002009. (e2019MS002009 2019MS002009) doi: 10.1029/2019MS002009
- Sepulchre, P., Caubel, A., Ladant, J.-B., Bopp, L., Boucher, O., Braconnot, P., ... Tardif, D. (2020). IPSL-CM5A2 – an Earth system model designed for multi-millennial climate simulations. *Geoscientific Model Development*, 13(7), 3011–3053. doi: 10.5194/gmd-13-3011-2020
- Somerville, R., Stone, P., Halem, M., Hansen, J., Hogan, J., Druryan, L., ... Tenenbaum, J. (1974). The GISS model of the global atmosphere. *Journal of Atmospheric Sciences*, 31(1), 84–117. doi: 10.1175/1520-0469(1974)031<0084:TGMOTG>2.0.CO;2
- Stevens, B., Giorgetta, M., Esch, M., Mauritsen, T., Crueger, T., Rast, S., ... Roeckner, E. (2013). Atmospheric component of the MPI-M Earth System Model: ECHAM6. *Journal of Advances in Modeling Earth Systems*, 5(2), 146–172. doi: 10.1002/jame.20015
- Swart, N. C., Cole, J. N. S., Kharin, V. V., Lazare, M., Scinocca, J. F., Gillett, N. P., ... Winter,

- B. (2019). The Canadian Earth System Model version 5 (CanESM5.0.3). *Geoscientific Model Development*, 12(11), 4823–4873. doi: 10.5194/gmd-12-4823-2019
- Tokioka, T. (1984). *A description of the MRI atmospheric general circulation model (the MRI-GCM-I)* (Tech. Rep. No. 13). Forecast Research Division, Meteorological Research Institute, Japan. Retrieved from <https://cir.nii.ac.jp/crid/1571698599052170880>
- Wang, Y.-C., Hsu, H.-H., Chen, C.-A., Tseng, W.-L., Hsu, P.-C., Lin, C.-W., ... Shiu, C.-J. (2021b). Performance of the Taiwan Earth System Model in simulating climate variability compared with observations and CMIP6 model simulations. *Journal of Advances in Modeling Earth Systems*, 13(7), e2020MS002353. (e2020MS002353 2020MS002353) doi: 10.1029/2020MS002353
- Washington, W. M., Weatherly, J. W., Meehl, G. A., Semtner Jr., A. J., Bettge, T. W., Craig, A. P., ... Zhang, Y. (2000, Oct 01). Parallel climate model (PCM) control and transient simulations. *Climate Dynamics*, 16(10), 755–774. doi: 10.1007/s003820000079
- WCRP. (2022). *WCRP-CMIP CMIP6_CVs version: 6.2.58.32*. Retrieved from https://wcrp-cmip.github.io/CMIP6_CVs/docs/CMIP6_source_id.html (last access: 17 August 2022)
- Wu, T., Lu, Y., Fang, Y., Xin, X., Li, L., Li, W., ... Liu, X. (2019). The Beijing Climate Center Climate System Model (BCC-CSM): the main progress from CMIP5 to CMIP6. *Geoscientific Model Development*, 12(4), 1573–1600. doi: 10.5194/gmd-12-1573-2019
- Wu, T., Zhang, F., Zhang, J., Jie, W., Zhang, Y., Wu, F., ... Hu, A. (2020). Beijing Climate Center Earth System Model version 1 (BCC-ESM1): model description and evaluation of aerosol simulations. *Geoscientific Model Development*, 13(3), 977–1005. doi: 10.5194/gmd-13-977-2020

- Yu, Y., Zheng, W., Wang, B., Liu, H., & Liu, J. (2011, Jan 01). Versions g1.0 and g1.1 of the LASG/IAP Flexible Global Ocean-Atmosphere-Land System model. *Advances in Atmospheric Sciences*, 28(1), 99-117. doi: 10.1007/s00376-010-9112-5
- Yukimoto, S., Adachi, Y., Hosaka, M., Sakami, T., Yoshimura, H., Hirabara, M., . . . Kitoh, A. (2012). A new global climate model of the Meteorological Research Institute: MRI-CGCM3—Model description and basic performance—. *Journal of the Meteorological Society of Japan. Ser. II*, 90A, 23-64. doi: 10.2151/jmsj.2012-A02
- Yukimoto, S., Kawai, H., Koshiro, T., Oshima, N., Yoshida, K., Urakawa, S., . . . Ishii, M. (2019). The Meteorological Research Institute Earth System Model version 2.0, MRI-ESM2.0: Description and basic evaluation of the physical component. *Journal of the Meteorological Society of Japan. Ser. II*, 97(5), 931-965. doi: 10.2151/jmsj.2019-051
- Zhang, H., Zhang, M., Jin, J., Fei, K., Ji, D., Wu, C., . . . Zhu, J. (2020). Description and climate simulation performance of CAS-ESM version 2. *Journal of Advances in Modeling Earth Systems*, 12(12), e2020MS002210. (e2020MS002210 2020MS002210) doi: 10.1029/2020MS002210
- Zhao, M., Held, I. M., Lin, S.-J., & Vecchi, G. A. (2009). Simulations of global hurricane climatology, interannual variability, and response to global warming using a 50-km resolution GCM. *Journal of Climate*, 22(24), 6653-6678. doi: 10.1175/2009JCLI3049.1
- Zhou, T., Wang, B., Yu, Y., Liu, Y., Zheng, W., Li, L., . . . Zhang, W. (2018, Jul 01). The FGOALS climate system model as a modeling tool for supporting climate sciences: An overview. *Earth and Planetary Physics*, 2(4), 276-291. doi: 10.26464/epp2018026
- Zhou, T., Wu, B., Wen, X., Li, L., & Wang, B. (2008, Jul 01). A fast version of LASG/IAP climate system model and its 1000-year control integration. *Advances in Atmospheric Sci-*

ences, 25(4), 655-672. doi: 10.1007/s00376-008-0655-7

Ziehn, T., Chamberlain, M. A., Law, R. M., Lenton, A., Bodman, R. W., Dix, M., ...

Srbinovsky, J. (2020). The Australian Earth System Model: ACCESS-ESM1.5. *Journal of Southern Hemisphere Earth Systems Science*, 70(1), 193-214. doi: 10.1071/ES19035